

Jofemar

iceplus food

Cualquier plato al alcance del público
Any dish available to the public

SÓLIDOS / SOLIDS
IcePlus Food



Sistemas de Hostelería Vending Jofemar
Catering Vending Systems by Jofemar


Jofemar
www.jofemar.com



Servicio perfecto de catering automático

Ofrecer un servicio de comedor en cualquier establecimiento, 24 horas al día y de manera desatendida es ahora posible con el nuevo dispensador de platos congelados de Jofemar, IcePlus Food, en hoteles, centros de trabajo o cualquier otro tipo de local permite ofrecer platos de comida para ser calentados en el momento.

En conjunción con el resto de la gama de máquinas Vending Jofemar este sistema es ideal para poner en marcha todo un servicio de comedor, una variedad de hasta 30 platos diferentes en la IcePlus Food y ensaladas, bebidas, postres y cualquier otro producto demandado por los usuarios a través del resto de la gama.

Conserva los alimentos congelados a -24 grados, su sistema de entrega con bandas y ascensor evita cualquier golpe y deposita el plato a la altura de la mano del usuario.

Con un módulo opcional de microondas controlado por la propia IcePlus Food, el calentamiento del producto es programable para cada plato y siempre se realizará de manera perfecta.



Perfect catering service

To offer a canteen service on any establishment, 24 hours a day and totally unattended, it's now possible with the new Vending machine "IcePlus Food" for frozen pre-cock meals, at hotels, working centers or any other location allows to offer ready meals to be heated at the moment.

Together with the rest of Jofemar machines range this system is ideal to set on sale a full catering system, up to 30 different dishes to choose on the IcePlus Food, and salads, hot and cold drinks, desserts or any other product a customer may demand through the rest of Jofemar's range of machines.

It preserves the dishes frozen to -24 degrees, its delivery system by pushers and elevator avoid any kick of drop and delivers the product softly up to the user hand height, without any damage.

With an optional microwaves module controlled by the very same IcePlus Food, the product heating is programmable for each dish and always made perfectly.

IcePlus Food	
Dimensiones <i>Dimmensions</i>	1825 x 1037,5 x 951,5 mm.
Panel Iluminado <i>Lightened Panel</i>	1699 x 720 mm (Contiene portaetiquetas / includes the labels display)
Peso <i>Weight</i>	425 Kg.
Temperatura en cabina <i>Cabinet internal temperature</i>	- 24º (C)
Alimentación <i>Power Supply</i>	190/240V, 50Hz. (Opcional 110V). 190/240V, 50Hz (Optional 110V).
Potencia máxima <i>Max. Power</i>	750 vatios. 750 watts.
Gas refrigerante <i>Cooling unit gas</i>	R-404A (Libre de CFC / CFC free)

Ficha técnica

Technical features

Imágenes / Pictures

Características Funcionales:

- Preparada para la dispensación de platos de medidas hasta 230 x 180 x 35, puede dispensar también bolsas de hielo y helados, sin necesidad de envases extra al propio del producto.
- Configuración flexible, permite ajustar canales a nuevos productos sin necesidad de herramientas
- Dispensación sin golpes, ascensor de entrega de producto a la altura de la mano del usuario.
- Sistema de dispensación FIFO, el último producto recargado es el último entregado.
- Detección de venta correcta por fotocélulas.
- Sistema de desescarches automáticos.

Construcción y dimensiones:

- Alto x Ancho x Fondo: 1825 x 1037,5 x 951,5 mm.
- Sistema aislante de espuma inyectada, perfecto mantenimiento de la temperatura con el mínimo consumo eléctrico.
- Cabina sellada con cierre de compuerta motorizada, máximo aislamiento anti-humedad
- Gas refrigerante R404-A, libre de CFCs
- Mueble externo de acero de 1,5mm de espesor tratado contra la corrosión y el óxido.
- Iluminación del panel frontal por medio de leds de bajo consumo

Aceptación de moneda:

- Monedero JOFEMAR J-2000 suministrado de serie, 5 tubos de devolución y validador de moneda T-15 con los más fiables sistemas contra todo tipo de fraude.

Programación:

- Programación general in situ mediante el teclado de máquina, terminal de mano EasyFlash, a través de ordenador PC o a través de modem por telemetría con el software de gestión VendingTrack de JOFEMAR.
- Completo almacenamiento y extracción de contabilidades.
- Programación dinámica, permite la unión de varios canales a un número de selección.

Opciones:

- Conexiones para lector de TARJETAS y lector de BILLETES (JOFEMAR dispone de los sistemas más novedosos en estos aspectos).
- Modem para telemetría y comunicación con software VendingTrack.
- Módulo de Microondas lateral, controlados por la propia IcePlus Food, solo pueden ser usados cuando se ha extraído el producto de la máquina IceplusFood principal.
- Entrada de monedas anti-vandálica.

Functional characteristics:

- Prepared to dispense packages of measures up to 239 x 180 x 35 mm, it also can dispense ice bags and ice creams, without any other packing than the product one.
- Flexible machine setting of the channels, these can be adjusted without tools.
- Product delivery without kicks, elevator system for product delivery to the user hand height.
- FIFO loading and delivery system, first product in first product out.
- Photocells system for correct product vending.
- Defrost system on the cooling unit avoiding ice formation.

Construction:

- Height x width x depth: 1825 x 1037,5 x 951 mm.
- Isolation system with expanded foam, perfect temperature maintenance with a minimum electrical waste.
- Isolated cabinet with motorized closing system, maximum protection against humidity.
- Cooling gas R404-A, CFC free.
- External cabinet made on 1,5mm thick steel, treated against oxide and corrosion.
- Front panel lightened by means of leds.

Coin acceptance:

- JOFEMAR J-2000 coin changer supplied with the machine with a connection for EXECUTIVE or MDB protocol, 5 coin-return tubes and a T-15 coin validator, including the most reliable anti-fraud systems available.

Programming:

- On-site general programming using the machine's keypad, by hand-held terminal Jofemar EasyFlash, direct connection for PC computer or Telemetry Modem using Jofemar software Vending Track.
- Complete accounting data storage and reporting.
- Dynamic programming for the channel linking, allows to program several channel products to a single selection number

Optional Kits:

- Connections for a CARD reader and a BANK-NOTE reader (Jofemar offers the most innovative systems).
- Telemetry Modem Kit and communication with VendingTrack.
- Aside microwaves column, controlled by the own IcePlus Food machine, only can be used when the product has been extracted from the IcePlus food machine.
- Reinforced coins entry.



Interior de IcePlus Food
IcePlus Food Interior




Ascensor de entrega de producto
Product delivery elevator



Display LCD y botonera numérica
LCD display and numeric selections buttons

Capacidades / Capacities

- Bandejas ajustables en altura hasta un máximo de 10.
- Diferentes modelos de bandeja de 2, 3 o 4 canales para acomodar diferentes anchos de producto.
- En cada canal los separadores de producto son ajustables al ancho del producto.
- Trays position adjustable on height, up to 10 trays.
- Different models of trays to choose, 2, 3 or 4 channels to fit the product dimensions.
- On every channel the product dividers are adjustable to the product dimensions.



Formatos de bandejas y canales ajustables, permite obtener la máxima capacidad para cualquier formato de producto.

Trays and channels can be adjusted to the product dimensions allowing obtaining the maximum capacity.





Jofemar

Ctra. Marcilla Km. 2 31350 **PERALTA. Navarra SPAIN**

Tel. +34 948 75 12 12

Fax +34 948 75 04 20



www.jofemar.com

